

HP LaserJet P2015 printer series

Fast, reliable black and white laser printer for small offices



Compact, easy to use and manage, the HP LaserJet P2015 printer series is a fast and reliable black-and-white printer that's perfect for the small office environment.



High speed black and white

- Up to 27ppm (letter) and 26ppm (A4)
- Faster first page out in less than 8.5 seconds¹ with Instant-on Technology from PowerSave mode.

¹ Exact speed depends on system configuration, software programs and document complexity

Reliable high-volume printing




Duty cycle
15,000
pages/mth



Professional documents, print after print

- True 1200 x 1200 dpi at full engine speed with HP ProRes technology

Flexible connectivity



• RJ-45 port

• USB 2.0 port

Instant-on Technology




Faster first page out from PowerSave mode

High quality print-out



Full toner right out of the box, prints up to 3,000 pages⁴

Enhanced connectivity



Share your printer with multiple users
(Network ready for P2015n)

User friendly



Replace and install supplies easily with HP LaserJet Printer

Do more, wait less

- Faster first page out in less than 8.5 seconds from PowerSave mode with Instant-on Technology.
- Print speeds of up to 27ppm (letter) and 26ppm (A4).
- Process large, graphics-intensive files fast with 400 MHz processor and expandable memory up to 288 MB RAM.

Get consistent professional quality

- Outstanding quality with true 1200 dpi output and tried-and-true Original HP LaserJet print cartridges.
- Consistent and reliable print quality with HP Smart printing technology¹.
- Automatic low toner alert and convenient ordering with HP SureSupply².

Space-saving compactness

- Minimal tray protrusion.
- Fits easily on crowded desktops.

Network with ease

- Integrated networking technology³ for easy sharing with without compromising performance and security.
- Hi-Speed USB connectivity with 480 mbps transmission speed for fast printing and easy expansion.

Easy to use and manage

- 250-sheet tray for continuous printing over long periods.
- 50-sheet multipurpose tray for broad spectrum of special papers
- Optional 250-sheet tray and 2-sided printing for more efficiency³
- Monitor print status, alter settings, set automatic alerts and more with user-friendly, browser-based management tools.
- Easy replacement and installation with HP integrated toner cartridge.

¹ Using genuine HP supplies ensures availability of all HP printing features.

² Program features and availability may vary by country. For more information, visit www.hp.com/learn/suresupply.

³ Standard and available features vary according to model. For more information, see "Series at a glance".

⁴ Based on 5 percent page coverage



August 2006
Hewlett-Packard Company

Reader's Choice for 15 years running.

PC Magazine's 19th Annual Reader Satisfaction Survey August 21, 2006



Save time and money

Enjoy faster first page out, shorter total print time and savings from lower power consumption.



Industry leader

HP celebrates shipment of the 100th millionth HP LaserJet after more than 20 years of introducing innovative laser printing products. You can continue to count on the outstanding quality of HP LaserJet printers.

Series at a glance



HP LaserJet P2015*

- Hi-Speed USB 2.0 port
- 50-sheet multipurpose tray 1
- 250-sheet input tray 2



HP LaserJet P2015d*

- Base model, plus:
- Automatic two-sided printing



HP LaserJet P2015n*

- Base model, plus:
- HP Jetdirect Fast Ethernet embedded print server



HP LaserJet P2015dn

- Base model, plus:
- Automatic two-sided printing
 - HP Jetdirect Fast Ethernet embedded print server



HP LaserJet P2015x

- Base model, plus:
- Automatic two-sided printing
 - HP Jetdirect Fast Ethernet embedded print server
 - 250-sheet input tray 3 for a 550-sheet input capacity

HP LaserJet P2015 printer series

Technical specifications



	HP LaserJet P2015 (CB366A)	HP LaserJet P2015d (CB367A)	HP LaserJet P2015n (CB449A)	HP LaserJet P2015dn (CB368A)	HP LaserJet P2015x (CB369A)
Print speed	Up to 27 ppm (letter), 26 ppm (A4)				
First page out	Less than 8.5 seconds from PowerSave mode (letter and A4)				
Print resolution	Up to 1200 x 1200 dpi; HP FastRes 1200				
Processor	400 MHz				
Memory	32 MB, expandable to 288 MB through one open 144-pin DIMM slot; one slot available for 8 MB Flash/64 MB DDR2 combo 144-pin DIMM				
Durability rating	Recommended monthly page volume: 740 to 3000 pages ⁵ Duty cycle: up to 15,000 pages per month ⁶				
Paper					
Handling	50-sheet multipurpose tray 1, 250-sheet tray 2				50-sheet multipurpose tray 1, 250-sheet trays 2 and 3
Output	125-sheet output bin				
Two-sided printing	Manual (driver support provided)	Automatic	Manual (driver support provided)	Automatic	
Sizes	Multipurpose input tray 1: 76 x 127 mm to 216 x 356 mm (3 x 5 in to 8.5 x 14 in) 250-sheet trays 2 and 3: 76 x 127 mm to 216 x 356 mm (3 x 5 in to 8.5 x 14 in) Automatic two-sided printing unit: letter, legal				
Weights	Multipurpose input tray 1: 60 to 163 g/m ² (16 to 43 lbs) 250-sheet trays 2 and 3: 60 to 105 g/m ² (16 to 28 lbs) Automatic two-sided printing unit: 60 to 105 g/m ² (16 to 28 lb)				
Types	Paper (bond, light, heavy, plain, recycled, rough), envelopes, labels, cardstock, transparencies, heavy media				
Connectivity					
Interfaces	Hi-Speed USB 2.0 port		Hi-Speed USB 2.0 port, HP Jetdirect Fast Ethernet embedded print server		
Languages and fonts	HP PCL6, HP PCL5e, HP postscript level 3 emulation; automatic language switching; 45 scalable TrueType fonts, 35 PostScript® fonts				
Operating systems	Windows 98SE (printer driver only), Me (printer driver only), 2000, XP® Home, XP Professional, Server 2003; Mac OS X v 10.2.8, 10.3.9, 10.4.3				
Network protocols	TCP/IP via HP Jetdirect print server				
Dimensions (W x D x H)	350 x 362 x 256 mm (13.8 x 14.3 x 10.1 in)				350 x 362 x 344 mm (13.8 x 14.3 x 13.5 in)
Weight (without toner cartridge)	10.3 kg (22.7 lb)	11 kg (24.3 lb)	10.3 kg (22.7 lb)	11 kg (24.3 lb)	14.1 kg (31.1 lb)
What's in the box	HP LaserJet P2015 Printer, HP LaserJet print cartridge, Getting Started Guide, CD (includes software and User's Guide), power cord	HP LaserJet P2015d Printer (includes automatic two-sided printing), HP LaserJet print cartridge, Getting Started Guide, CD (includes software and User's Guide), power cord	HP LaserJet P2015n Printer (includes HP Jetdirect Fast Ethernet embedded print server), HP LaserJet print cartridge, Getting Started Guide, CD (includes software and User's Guide), power cord	HP LaserJet P2015dn Printer (includes automatic two-sided printing and HP Jetdirect Fast Ethernet embedded print server), HP LaserJet print cartridge, Getting Started Guide, CD (includes software and User's Guide), power cord	HP LaserJet P2015x Printer (includes automatic two-sided printing, HP Jetdirect Fast Ethernet embedded print server, and 250-sheet tray 3) HP LaserJet print cartridge, Getting Started Guide, CD (includes software and User's Guide), power cord

Environmental ranges

Operating temperature	Recommended: 15 to 32.5 degrees C (63.5 to 77 degrees F)
Storage temperature	0 to 35 degrees C (32 to 95 degrees F)
Operating relative humidity	Recommended: 30 to 70 percent; non-operating: 10 to 80 percent

Acoustics⁷

Sound power	Active: 6.4 B(A), Ready: inaudible
Bystander sound pressure	Active: 50 dB(A), Ready: inaudible

Power specifications

110-volt models: 110 to 127 VAC (± 10 percent), 60 Hz (± 2 Hz)
220-volt models: 220 to 240 VAC (± 10 percent), 50 Hz (± 2 Hz)

Power consumption⁸

Printing (active): 350 watts Off: less than 0.1 watts
Ready, Sleep: 7 watts Energy Star[®] compliant
Typical Electricity Consumption (TEC): 1.816 kWh/Week

Product certifications

Safety	IEC 60950-1 (International), EN 60950-1 (EU), IEC 60825-1+A1+A2, UL/cUL Listed (US/Canada), GS License (Europe), EN 60825-1+A1+A2 Class 1, 21 CFR Ch.1/SubCh. J (Class 1 Laser/LED Device) GB4943-2001, Low Voltage Directive 73/23/EEC with CE Marking (Europe). Other safety approvals as required by individual countries
EMC	CISPR 22:1993 +A1 +A2/EN 55022:1994 +A1 +A2 Class B, EN 61000-3-2:2000, EN 61000-3-3:1995+A1, EN 55024:1998+A1 +A2 FCC Title 47 CFR, Part 15 Class B (USA), ICES-003, Issue 4, (Canada), GB9254-1998, EMC Directive 89/336/EEC with CE Marking (Europe) other EMC approvals as required by individual countries.

Warranty

One-year, return-to-HP authorised service center

HP SureSupply enabled

To learn more, please visit www.hp.com/go/SureSupply

⁵ HP recommends that the number of printed pages per month be within the stated range for optimum device performance, based on factors including supplies replacement intervals and device life over an extended warranty period.

⁶ Duty cycle is defined as the maximum number of pages per month of imaged output. This value provides a comparison of product robustness in relation to other HP LaserJet or HP Color LaserJet devices, and enables appropriate deployment of printers and MFPs to satisfy the demands of connected individuals or groups.

⁷ Declared per ISO 9296 and 7729; values are subject to change. For current information see www.hp.com/support/lip2015. Configuration tested: base model, printing on A4 paper at 26 ppm.

⁸ Values subject to change. See www.hp.com/support/lip2015 for current information. Power numbers are the highest values measured using all standard voltages.

⁹ Declared yield value in accordance with ISO/IEC 19752

*P = mono single-function d = duplex n = network

Ordering information

Description	Number
HP LaserJet P2015 Printer	CB366A
HP LaserJet P2015d Printer	CB367A
HP LaserJet P2015n Printer	CB449A
HP LaserJet P2015dn Printer	CB368A
HP LaserJet P2015x Printer	CB369A
Paper handling	
250-sheet input tray 3	Q5931A
Supplies	
HP LaserJet print cartridge (3,000-page cartridge) ⁹	Q7553A
HP LaserJet print cartridge (7,000-page cartridge) ⁹	Q7553X
Memory	
32 MB 144-pin DDR2 DIMM	CB420A
64 MB 144-pin DDR2 DIMM	CB421A
128 MB 144-pin DDR2 DIMM	CB422A
256 MB 144-pin DDR2 DIMM	CB423A
Cables	
A to B USB cable, 2-meter	C6518A
Print servers	
HP Jetdirect en3700 Fast Ethernet external print server (USB 2.0)	J7942G
Service and support	
HP 1 year, post warranty, hardware support	H2639PE
HP 1 year, post warranty, return service	U8047PE
HP 1 year, phone assistance service	HC126PE
HP 2 year, return hardware service	UD903E
HP 2 year, next business day, hardware support	UD905E
HP 3 year, next business day, hardware support	H5473E
HP 3 year, return service	H2634E
HP Hardware installation service	H4513E
HP Network installation service	H3110E
Media	
Asia: 65-6253-8500	
Australia and New Zealand: 61-2997-2299LAR.	

For more information, call your local Hewlett-Packard sales office or your nearest HP authorised dealer or visit us at www.hp.com

HP customer information centre (for product information)

Australia	13 23 47
China	800 820 2255
Hong Kong	800 93 8855
India	1600 425 4999 (from MTNL/BSNL LAN line) 3030 4499 (from mobile)
Indonesia	0800 1111 222
Korea	080 703 0700
Malaysia	1800 88 4848
New Zealand	0800 733 547
Philippines	1800 1441 6688
Singapore	1800 278 8100
Taiwan	0800 236 686
Thailand	+662 353 9000
Vietnam	+848 823 6215

HP customer care centre (for post-sales service)

Australia	13 10 47
China	800 810 3888
Hong Kong	+852 3002 8555
India	1600 112 267
Indonesia	+62 21 350 3408
Korea	+82 23270 0700
Malaysia	1800 805 405
New Zealand	0800 449 553
Philippines	+63 2 867 3551
Singapore	+65 6 272 5300
Taiwan	+886 2 8722 8000
Thailand	+662 353 9000
Vietnam	+848 823 4530

Bangladesh, Bhutan, Brunei, Cambodia, Maldives,
Nepal, Pakistan, Sri Lanka: Fax +65 6275 6707



© Copyright 2006 Hewlett-Packard Development Company, L.P. The information contained herein is subject to change without notice. The only warranties for HP products and services are set forth in the express warranty statements accompanying such products and services. Nothing herein should be construed as constituting an additional warranty. HP shall not be liable for technical or editorial or omissions contained herein. Reproduction, adaptation or translation without prior written permission is prohibited, except as allowed under the copyright laws.

Energy Star is a U.S. registered service mark of the United States Environmental Protection Agency. Windows and Windows XP are U.S. registered trademarks of Microsoft Corp. PostScript is a trademark of Adobe Systems Incorporated.

Printed in Singapore, 2001-8835-EFP, December 2006 (Rev. 1)



invent